

Item	Color	'67	'68	'69	Comments		AMK No
GENERAL	Ford Corporate Blue (FCB)	Engine block, heads, intake manifold, thermostat housing, bypass hose and clamps (may be painted or natural), water pump assembly, timing cover and pointer, oil pan, oil dipstick tube, PCV system manifold connections, U-tube and clamps, air cleaner base.					
	Semi-gloss black (SGB)	Fan, fan pulley, crankshaft pulley, alternator bracket and adjustment arm, P/S pulley, A/C brackets			PPG Krylon Dupicolor	Part	Kit(s)
	Natural	Bell housing, accelerator linkage, distributor hold down bracket, exhaust manifolds, accelerator bellcrank			VHT GM Satin Black (spray can)		
	Chrome	Air Cleaner Lid, Radiator Cap, Oil Breather Cap, Oil Dipstick handle, Valve Covers			Eastwood Cast Blast		
ENGINE BAY	SGB	Firewall, inner fenders, shock tower braces, battery tray, radiator support, horns					
	P&O	Hood hinges and springs, hood latch, hood catch, accelerator bellcrank					
Shock Tower Caps			SGB	Natural			
Spark Plugs			BF-32 < 4/68 BF-42 > 4/68	BF-42	Autolite		
Plug wires			Black/orange	Black/orange	Autolite - thermactor cars with smog tubes have additional protection on the wires to prevent rubbing/wear		
Valve covers			Chrome - PBF	Chrome - PBF	Some early '67s are not PBF but are chrome with 3 ribbed top		
AIR CLEANER & PCV							
Base	FCB				Many variations depending on California/49 states, thermactor or not, export or not		
Snorkel	FCB		(p/n C8OZ-9A626-B) (# C8OF-9A626-A)	(p/n C9OZ-9A626-C) (# C9OF-9D626-C)			
Snorkel Attaching Bolts	FCB		55359-S		Machine screw - Hex Washer	FX	B-12484
			Machine Screw - Hex Head SEMS 3/8 5/16 AF 13/32" OD Washer	10-32 X			
S-Tube	Varies			C9OZ-9652-A			
			Metal - FCB	Ribbed Paper/Aluminum - Black 2.02" Dia			
S-Tube Attachment screw	FCB		55872-S	97262-S			
			Tapping Screw Hex Washer Head - Type AB #8-18 x 1/4"L x 11/32" (.322/.348) OD	Hose Clamp - Tangential Screw No Slot Band 2 3/16" 2.22" Open ID 2.00 Closed ID .50" W 1.25" Screw Length	' 68 Screw fixes base of snorkel to heat shield ' 69 clamp fixes top of tube to snorkel		
Heat Shield	FCB						
Air Cleaner Motor/Flapper	FCB						
Lid	FCB			C7ZZ-9602-C			
				16 3/4" diameter			
Lid Gasket	Rubber		C8ZZ-9673-A				
Lid Hold Down Nut	Chrome		358871-S		Wing nut	CL	B-12933
			1/4-20 1.25 WIDE				
Filter Element	Orange ring/paper						
Valve Cover Oil Breather Cap	Chrome		C8AZ-6766-A	C8AZ-6766-A	67 FoMoCo push-on, 68/69 Autolite twist-on (Motorcraft was used for 68/69 service replacement)		

Item	Color	'67	'68	'69	Comments	AMK No	
Valve Cover Oil Breather Cap Fitting	Zinc		C7ZZ-6767-B	C8AZ-6767-B			
Valve Cover Oil Breather Hose	Rubber - Black						
Valve Cover Oil Breather Gasket	Cork						
Valve Cover Oil Breather Grommet	Rubber - Black		C8AZ-6A892-D	C8AZ-6A892-D			
PCV Valve	Zinc		6A666	C7OZ-6A666-A			
PCV Valve Fitting			C7OZ-6A706-A	C7OZ-6A706-A			
PCV U Tube	FCB		C8OZ-6758-B				
PCV to U tube Hose							
PCV Front Manifold Fitting	FCB		C7AZ-9A474-A				
PCV Rear Manifold Fitting	FCB		C8OZ-9A474-A				
PCV Rear Manifold Second Fitting	Brass		C8OZ-9A474-B (AT)				
U-Tube to Rear Manifold Fitting Hose	FCB						
PCV Hose Clamps	FCB		C6AZ-18572-A				
PCV Valve Grommet	Black rubber		C7AZ-6A892-B	C7AZ-6A892-A			
AIR CONDITIONING							
Compressor	SGB or Natural cast aluminum				York and Tecumseh A/C compressors (68 - York may be natural aluminum finish).		
Compressor Bracket	SGB						
Compressor Bracket to Block Mounting Bolts							
Compressor to Bracket Mounting Bolts							
Pulley	SGB						
Belt							
Hot Water Diverter Valve	Zinc Dichromate						
Condenser Coil							
Drier							
Hoses							
Compressor to Condenser							
Compressor to Evaporator							
Condenser to Evaporator							
ALTERNATOR							
Body	Natural cast aluminum						
Fan	Zinc Dichromate						
Pulley	Zinc Dichromate						
Spacer	S-100		C5AE-10A370-B .45 ID X 1.59 L X 1.0 OD		Pink Anodized Aluminum	KIL	B-10953 (1)
Fan Lock Washer	Zinc Dichromate						
Fan Nut	Zinc Dichromate						

Item	Color	'67	'68	'69	Comments	AMK No
Mounting bracket	SGB					
Mounting Bracket to Block Mounting Bolts						
Adjusting bracket	SGB					
Alternator to Adjuster Bolt						
Adjuster Bracket to Block Mounting Bolts						
Alternator to Bracket Bolts						
Alternator Belt						
BATTERY						
Tray	SGB	C8ZB-10732-A (45 amp)				
Tray Attaching Bolts	P&O	378178-S				
Tray Attaching Nuts (J-Clip)	P&O	378680-S				
Heat Shield	SGB	C8ZB-10A682			390 w/AC only	
Hold Down Bracket	SGB	C5AB-10755				
		Plastic coated steel - Black				
Hold down bolts	P&O	C5AB-10756				
Hold down nuts	P&O	376838-S2				
BRAKES						
Power						
Master Cylinder	SGB					
MC Cap	SGB				Some refs call out chrome, zince, or zinc dicromate.	
PB Booster	SGB		Midland Clamp Style			
Brake lines	Natural					
Booster Vacuum Line (steel - connects to fitting at rear manifold tap for PCV U tube connection)	Natural					
Booster Vacuum Hose	Rubber				Special thick wall vacuum hose	
Booster Mounting nuts						
Distribution block	Natural brass					
Proportioning valve	Natural brass					
Manual						
Master Cylinder	SGB					
MC Cap	SGB				Some refs call out chrome, zince, or zinc dicromate.	
Brake lines	Natural					
MC Mounting nuts	Natural					
Distribution block	Natural brass					
CARBURETOR			Holley 4bbl 600cfm, vacuum secondaries (Model 4150)	Autolite 4300-A 4bbl	Datestamp generally accepted to be 2-3 months prior to build date	
Part Number			C8OF-C (M) C8OF-D (AT)	C9ZF-E (M) / C9ZF-F (AT)		
List			3795-1 (M) / 3795-1 (AT)	n/a		
Metering blocks (pri/sec)			5482/4841 (M) / 5554/4841 (AT)	n/a		
Holley Rebuild Kit			#3-442 (M &AT)	n/a		
Primary /Secondary Jets			66/72 (M) / 64/72 (AT)	n/a		
Power Valve			7.5 (both)	n/a		
Shooter			25 (both)	n/a		
Pump Cam & Setting			White #218 - #2 Position (both)	n/a		
Venturi Size (Autolite)			n/a	Lg. 1.25 (both)		
Notes						
Spacer			C8AZ-9A589-G	C9ZZ-9A589-A		
			0.28" thick Bakelite, has tab marked "FRONT"	15/16" thick aluminum, with 5/8" heater nipples & 5/8" PCV hose nipple on rear	Some refs call out stainless steel spacer for '68	
Body						
Fuel Bypass	Zinc/Brass					

Item	Color	'67	'68	'69	Comments	AMK No
Mounting Studs	Natural				With C6 transmission includes: 1ea. - 5/16"-18-24 x 2 1/4" hollow stud (382768-S8), 3ea. - 5/16"-18-	
Mounting Nuts	Cad		351069-S8	351069-S8		
Return Spring	Painted		C8ZZ-9737-A Green	C9ZZ-9737-A / C9ZZ-9737-F Blue-green / Yellow	69 springs before / after 4-9-69	
Return spring bracket	Natural		C7OZ-9741-B	n/a		
Throttle Cable Bracket	SGB		n/a	C9ZZ-9741-C		
Gasket - Spacer to Manifold	Paper					
Gasket - Spacer to Carb	Paper					
Gasket Carb to Air Cleaner	Paper					
Throttle Linkage Rod	Natural		C8ZZ-9A702-B	n/a		
Throttle Rod to Bellcrank Bushings	Nylon		7A440			
Throttle Rod to Bellcrank Grommet	Rubber		379009-S			
Throttle rod to carb clip	Natural					
Choke Air Tubes and Associated Items						
Choke Air Tube	Steel					
Fresh Air Tube	Steel					
Air Tube S-clip	Spring Steel					
Choke Stove Hot Air Mesh	n/a				Sintered steel mesh	
DISTRIBUTOR						
Distributor	Natural		C8OF-12127-D		C8OF-D used on 68 428's as well	
Vacuum Advance Unit	Natural					
Distributor Cap	Black Autolite					
Hold down clamp	Natural		FEU-12270-A			
Hold down clamp bolt	Zinc		358805-S8		w/washer	
Coil	Autolite yellow top ceramic					
Coil Mtg Bracket	Natural/SGB/P&O					
Coil Mtg Bracket Bolt	P&O		378604-S2		w/washer	
Coil Mtg Bracket clamp screw/nut	Cad					
ENGINE						
Block	FCB					
Heads	FCB		C8AE-H			
Valve Covers	Chrome		Power By Ford Stamped	?		
Valve Cover Bolts			371065-S?			
Valve Cover Gasket					Silver upper side w/staples to hold to covers	
Water Pump	FCB		C8AE-A	C9AE-A		
Timing Cover	FCB					
Timing Pointer	FCB					
Oil Pan	FCB				5qt	
Oil Pan Gasket	Cork				2 piece gasket + 2 rubber seals	
Oil Pan Bolts	FCB					
Oil Dipstick Tube	FCB		C7OZ-6754-A			
Oil Dipstick Handle	Chrome		C7OZ-6750-A			
Oil Filter Adapter	Natural		C8AE-6881-A			
Oil Pressure Switch	Zinc					

Item	Color	'67	'68	'69	Comments	AMK No	
Oil Filter	White or Blue						
Oil Drain Plug	FCB						
Intake Manifold	FCB		C8AE-A /C8AZ-9424-C	C9ZE-A, C9ZE-B / C9ZZ-9424-A	Square bore		
Exhaust Manifolds	Natural						
Thermostat Housing	FCB		C8AE-8952-A	C8AE-8952-A			
Fan Pulley	SGB						
Crankshaft Pulley	Natural						
Harmonic Balancer	SGB/Rubber		C8AE-6316-A	C8AE-6316-A			
Temperature sending unit	Brass						
Transmission Vacuum Tube at Carb Stud			7B086 (?)	n/a			
Transmission Vacuum Tube at Carb Stud Clamp			376959-S	n/a			
Transmission Vacuum Tube to Modulator	Natural		7B095 (?)				
Transmission Vacuum Tube to Trans Case Clip	Natural		7C072 (?)				
Transmission Filler Tube							
Transmission Dip Stick			SGB				
Transmission Tube to Head Mounting Bolt	P&O		Natural 42772-S2				
			Machine Screw - Hex Head Sems External Sems - Grade 2 3/8-16, 5/8" L, 9/16" AF				
ENGINE BAY MISC FASTENERS							
Fenders and Aprons							
Fender bolts			Cad 378178-S39 (12)				
			Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]				
Fender Bolt J-Nuts			P&O 379831-S2				
			Nut - J Nut & Retainer Assy Special - Design 2 5/16-18, 1.02" L, .67" W		Design 2 has long formed thread shank, no captive nut, and lower flange of U bolt is rounded, not square end		
Inner Fender bolts			Cad		May mount in either direction, all must be consistent		
			378178-S39 (12)			KHE	B-11643 (12) / B-11644 (50)
			Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]				
Inner Fender Bolt - Nut			Cad 55736-S2				
Splash Shield Upper Screw			P&O 55914-S2				
Valve Cover Bolts	Cad Plated						

[illegible]

Item	Color	'67	'68	'69	Comments	AMK No
Blower Motor	SGB					
Blower Motor Wires	Brown/yellow					
Blower Motor Feed Harness (14401)						
Feed harness (14401) to firewall clip	Black Nylon		374320-S (1)		1 slot for mounting, 3 adjusting slots	AP B-13209 (2)
			Nylon Loop Strap 3 x .12x.38" Hole Size x .45" W [.44 W X 4.0 OAL] 4 1/16" L			
Heater hoses	Rubber	Black ribbed w/yellow or orange stripe w/Autolite logo			Hoses run under spark plug wires and emissions tubes	
Inlet			C7AA-18472-AG (29.00" - 29.50")			
Outlet			C7AA-18472-F (34.75" - 35.25")			
Heater Hose Clamps	Zinc		WitteK - tower		Late model 68's used stapled clamps provided with the hoses	
			97356-S8 - 1 1/16"			
Heater Mounting nuts	Zinc Dichromate		370546-S100 (4)		W/Black Sealer	
			1/4-20 7/16 AF .69 OD			
Heater hose to water jacket fitting	FCB		C8AZ-18599-A			
Heater Motor Heat Shield	SGB		C7ZA-19C842-A		A few variation, no part numbers stamped on shield	
Heat Shield Mounting Screw	P&O		42127-S2 (1)			PP B-12079 (10)
			Tapping Screw/Hex Washer 12 X 1/2 5/16 AF .40 OD	10-		
Heat Shield Mounting Nut	Zinc		33920-S8 (1)			WG B-12775 (10)
			Hex Nut 1/4-20 7/16 AF .16 TK			
HOSES, BELTS AND SEALS						
HOSES						
Heater hoses	Rubber	FoMoCo Black ribbed w/yellow or Autolite w/orange stripe & Autolite logo			Hoses run under spark plug wires and emissions tubes	
Inlet			C7AA-18472-AG (29.00" - 29.50")			
Outlet			C7AA-18472-F (34.75" - 35.25")			
Heater Hose Clamps	Zinc		WitteK - tower		Late model 68's used stapled clamps provided with the hoses	
			97356-S8 - 1 1/16"			
Radiator Hoses				FoMoCo/Autolite		
Upper - Rad to Tstat		C5AZ-8260-G	C8ZE-8260-C			
Lower Rad to WP						
Radiator Hose Clamps	Zinc	WitteK - tower	Wire style w/staples	Wire style w/staples	Some early 68's may have Wittek (no changeover date known)	
Upper to Radiator		97630-S8 - 1 15/16"				
Upper to Thermostat		97374-S8 - 2 3/16"				
Lower to Radiator		97374-S8 - 2 3/16"				
Lower to Water Pump		97379-S8 - 2 1/2"				
Water Pump Bypass Hose	Rubber	FoMoCo Black ribbed w/yellow or Autolite w/orange stripe & Autolite logo				
Hose						
Clamps			WitteK - tower			
			97356-S8 - 1 1/16"			
SEALS						
Cowl to Hood Seal	Black Rubber		C7ZB-16A942			
Cowl to Hood Seal Fasteners	White Nylon					
Radiator Support to Hood Seal	Black Rubber		C4DB-16A238			

Item	Color	'67	'68	'69	Comments		AMK No
Radiator Support to Hood Seal Staples			370168 / ESB-M1A111-A / ESB-M1A112-A (9)				
BUMPERS							
Hood to Fender - Rear	Black Rubber		C7WB-16578 (2)				
Hood to Fender - Front	Black Rubber		C4DB-16578 (2)				
Hood to Grille	Black Rubber/Natural		C4ZB-16763 (2)				
Hood to Grille - Adjusting Nut	Cad		33922-S2 (2)				
Hood to Grille - U Nut to support	P&O		378680-S2 (2)				
			Nut - U Nut & Retainer Assy Special - Design 2 5/16-18, 1.06" L, .67" W		Design 2 has long formed thread shank, no captive nut, and lower flange of U bolt is rounded, not square end		
MISC ELECTRICAL COMPONENTS AND FASTENERS							
Battery Cable - Positive	Red						
Battery Cable - Negative	Black						
Voltage Regulator			Blue Autolite (riveted)				
			C8AF-10316-A (32-44 amp) C8TF-10316-A (55 amp)				
VR Condenser	Natural						
Regulator mounting screw	Zinc		381922-S8				
			Hex Washer - Special 1/4-14 5/8"L 1/2"OD				
VR Harness Feed to Rad Support clip	Black Nylon		376914-S (strap)		Plug fits to mounting surface, 2 circle clips to mount back to plug	LI	B-13198 (6)
			Nylon Loop Strap 1 5/32"L x .235" Hole Size x .44" Max Width W X 3.12 OAL FITS .25 HOLE]	type 3 [.19			
Coil	Autolite yellow top ceramic						
Coil bracket	SGB						
Coil bracket bolt	P&O						
Engine ground strap	Grey		C8WB-14303-A				
Engine ground strap to firewall screw	Zinc Dichromate		55981-S36 (1)				
			Tapping Screw Hex Washer Head - Type AB #1/4-14 x 1/2"L x 1/2" (.480/.520")OD 3/8 AF 50 OD.1	[
Engine ground strap to head bolt	Zinc Dichromate		20312-S36		Mounts to RH head, lower tap	BBL	B-12096(S2 - 6) / B-11094 (S8 - 6)
Starter cable	Rubber / Black Cloth Sheath						
Starter Cable Clip to Block	Zinc/Rubber						
Convertible Top							
Feed - firewall to fuse	Black wire		C8ZB-15A669-A				
Feed - clips to firewall to tower brace	Black Nylon		379061-S (3)			LFR	B-10974 (4)
			.25 Opening x .37 W x 1.06 L .03 -.12 P				
Convertible top fuse			C8ZB-14A094-A				
Fuse to apron screws	P&O		42381-S2 (2)				
			Hex Washer Head - Type B 16, 3/4"L, 13/32 (.384/.414)OD	#10-			
Feed to fuse nut	Zinc Dichromate		34053-S36 (1)			LYJ	B-10501 (S2 - 12)
			Hex Nut 3/8 AF .12 TK	10-24			
Feed to fuse washer	Zinc Dichromate		34803-S36 (1)				
			Lock Washer SIZE .20 X .32 X .05 TK	#10		BCW	B-13043 (25)
WIRING							

Item	Color	'67	'68	'69	Comments	AMK No
13A357 Assembly (Hood Mounted Turn Signals)			C8ZB-13A357-A			
Ground to firewall			Black			
Ground to hood			Black			
RH signal			White/blue stripe			
LH Signal			Green/white stripe			
14401 Assembly (Trans)						
14401 Assy to Firewall clip			382175-S (?)		Part per FAM no record in Ford Fastener Guide	
14289 Assembly (Oil/Temp)						
Temp sending wire			Red/white stripe		90 degree press on connector	
Oil Pressure Sending wire			White/red stripe		90 degree press on connector	
Coil			Red/green strip		90 degree press on connector	
14289 Assy to firewall clip	Black Nylon		374320-S (1)		1 slot for mounting, 3 adjusting slots	AP B-13209 (2)
			.44 W X 4.0 OAL			
14289 Assy to Valve Cover clip	Steel/rubber		356640-S100 (3)		LH Valve Cover - inboard side	
			5/16 OPENING .53 W X 1.38 L X .33 HOLE			
14290 Starter Relay (Main Engine Harness)						
Starter Relay +					Starter positive + 2 smaller connectors (others apply depending on options)	
Starter Relay -	Black	Black	Red, red, yellow+black	Black	Starter feed wire	
Starter Relay + (pin)			Red/blue		90 degree press on connector	
Starter Relay - (pin)			Brown		90 degree press on connector	
Starter Relay Mounting Screws	Zinc		31497-S8			Q B-12094 (8) / B-10818 (25)
			Tapping Screw Washer Head - Type AB x 1/2"L x 1/2"(.480/.520)OD 1/2 3/8 AF .50 OD]	Flex #14-14 [1/4-14 X		
Starter Relay connection nuts	Zinc Dichromate		381561-S36			BF B-12836 (3)
			Nut - Nut and Washer Assembly Hex Nut & Conical Washer - Special 5/16-18 9/16 AF .56 OD [.27 OAH]		w/integral washer	
Starter Relay Harness (14290) to Apron clips	Black Nylon		382184-S (2)		RH Side below relay	
			.88 Capacity For 0.25 Hole			KRA B-13118 (2)
Starter Relay Harness (14290) to Lower Radiator Support clips	Black Nylon					
Starter Relay Harness (14290) to LH Apron clips	Black Nylon		376756-S (6)		LH Side along apron and shock tower	
			Nylon Loop Strap 2 29/32"L x .235" Hole Size x .44" Max Width .38 W X 3.92 OAL FITS .25 HOLE]	Type 3 [Plug fits to mounting surface, 2 circle clips to mount back to plug	
Horn Feed to Radiator Support Strap	Black Nylon		376914-S (4 - strap)		Rah and LH Radiator apron 2 per inner side	LI B-13198 (6)
			Nylon Loop Strap - Type 1 3 5/32"L x .235" Hole Size x .44" Max Width [.19 W X 3.12 OAL FITS .25 HOLE]		Plug fits to mounting surface, 2 circle clips to mount back to plug	
15702 Assembly (Optional Engine Bay Lamp)			C7ZB-15702-A		Fixture mounts between hood louvers	

Item	Color	'67	'68	'69	Comments	AMK No	
Lamp Harness (15702) to Shock Tower clip	Black Nylon		380753-S (1) ?				
Lamp Harness (15702) to Shock Tower Brace Clips	Black Nylon		379061-S (3) .25 Opening x .37 W x 1.06 L .03 - .12 P			LFR	B-10974 (4)
Lamp Harness (15702) to Hood Clip	Black Nylon		372303-S (1) .14 Opening X .44 W X .85 H .02 - .05 P			LFM	B-10723 (2)
Lamp Harness (15702) to Hood Clip at Fixture	Black Nylon		382963-S (1) ?				
Lamp fixture to Hood Screw	Zinc Dichromate		55907-S36 (1) Tapping screw Hex Washer Head - Drill End #8-18 x 5/8" L, 11/32" (.322/348")OD [5/16 AF .40 OD]			FG	B-13418 (12) / B-11151 (40)
Lamp Fixture to Hood Washer	Zinc Dichromate		34938-S36 (1) Lock Washer - External Thread #8, .168/.176 ID, .365/.381" OD, .018/.023" Thk [#8 SIZE .17 X .37 O]			KWA	B-13034 (12)
Lamp Fixture Bulb			C3VB-13730-A				
Brake Pressure Switch							
Alternator							
Field							
Voltage regulator							
VR connector	Multiple wires						
VR condenser							
HOOD MOUNTED TURN SIGNALS							
Harness (13A357) Clip/Ground to Firewall	P&O		380923-S2 (1) Tapping screw Hex Washer Head - Drill End #8-18 x 5/8" L, 11/32" (.322/348")OD [5/16 AF .40 OD]		AMK 55907-S2 close #8-18 thread, 1/2" L, same OD	FG	B-13418 (12)
Harness (13A357) to Hood near firewall (ground)	Zinc Dichromate		42120-S36 (2) Tapping screw Hex Washer Head Type AB #10-16 x 3/8L, 15/64" (.225/243")OD [5/16 AF .40 OD]				
Harness (13A357) to Hood at Front Clip	Black Nylon		379485-S (1) (?)		Attach to hood near front hole where harness comes out of hood near front/louvers. Part per FAM no record in Ford Fastener Guide		
Harness (13A357) to Hood - Clips at Indicators	Black Nylon		377774-S (4) (?)		Attach to existing louver insert studs. Part per FAM no record in Ford Fastener Guide		
Signal Insert Mounting Nuts	Zinc Dichromate		353911-S100 Stamped Nut - Non-Thread Machine Hex Flange - Uncapped w/Sealer 10-24 x .625" OD x 11/32 Hex, .270" Thk [3/8 AF .62 OD]	n/a	w/sealer (red)	AM	B-12955 (4) / B-11418 (12)
Signal Insert Mounting Studs	Body color		10-24 x 1.0"			ZK	ZK : B-12600

Item	Color	'67	'68	'69	Comments	AMK No
POWER STEERING						
PS Pump	SGB/Teal					
PS Pump Mounting Bracket	Natural		3A732			
PS Pump Adjusting Bracket	SGB		3C511			
PS Bracket to Block Spacer	O&P		C7SZ-3D600-A		Only used w/o A/C	BGY B-13193 (1)
			.40 ID X .50 TK X 1.25 OD			
PS Pump to Bracket Mounting Bolts			378338-S8			
PS Pump to Bracket Mounting Stud	O&P		377060-S2			
PS Pump to Bracket Mounting Stud Nut	Cad Plated		55713-S7			
PS Pump Dipstick	Natural					
PS Belt						
PS Pump Upper Hose Bracket	O&P		3E602			
PS Pump Upper Hose Bracket Nut	O&P		378720-S2			
			Nut - Hex Special 5/8-18, .188 Thk, 15/16" Hex - Gr2			
PS Hoses						
PS Pump to CV - Upper (Supply - HP)						
PS Pump to CV - Lower (Supply - HP)						
CV to Pump - (Return - LP)						
Return to Pump Clamp			97201-S8		Alternate 97237 per FAM	HIK B-13089 (1)
			Misc Clamp - Hose Clamp Tangential Screw - Slotted Band 5/8", Open ID .70", Closed ID .55 .50" W, 1.00" Screw length ["5/8 SIZE .70 MAX ID OPEN]		Misc Clamp - Hose Clamp Tangential Screw - No Slot Band 5/8", Open ID .72", Closed ID .53 .38" W, 1.12" Screw length	
Return to Hose Nipple Clamp			97201-S8		Alternate 97237 per FAM	HIK B-13089 (1)
			Misc Clamp - Hose Clamp Tangential Screw - Slotted Band 5/8", Open ID .70", Closed ID .55 .50" W, 1.00" Screw length ["5/8 SIZE .70 MAX ID OPEN]		Misc Clamp - Hose Clamp Tangential Screw - No Slot Band 5/8", Open ID .72", Closed ID .53 .38" W, 1.12" Screw length	
CV to Ram - Supply						
CV to Ram - Return						
PS Hose Insulator Bracket	SGB					
PS Hose Insulator Grommet	Rubber					
PS Hose Insulator Bolt to Block						
PS Hose Insulator Clamp Bolt						
PS Hoses to Control Valve Clamp	Zinc		351819-S8		Worm screw clamp (Hose clamp - Hex/slot head)	HIK B-13089 (1)
			Hose Clamp - Type 2 1.5/16" Dia. 1/2" W. 1/32" Thk 1			
RADIATOR						
Radiator	SGB	C7ZZ-8005-C 23 1/4"X16"X2"	C8ZZ-8005-C 24 3/16"X16"X2 1/4"			
Radiator Cap	Autolite		Zinc/Chrome			
Fan shroud	Natural black	C7ZZ-8146-A	C8ZZ-8146-A			

Item	Color	'67	'68	'69	Comments	AMK No	
Shroud to Radiator Screws		Marked C7ZE-A	No markings			P	B-12097 (S2 - 8) / B-10816 (S2 - 20)
			31498-S2 Tapping screw Hex Washer Head - Type A #14-10, 5/8" L, 1/2" (480/520) OD [1/4-10 X 5/8 3/8 AF, 50 OD]				
Shroud to Radiator Screw J-Nuts			380250-S2 Nut - Spring U Spring Nut Special - Type 2 Tapping Thread 2-11, .62" L, .62" W		Identical to 383375 - AMK references this number	EK	B-12258 (4)
Fan	SGB	C60E-F	C80F-B				
			7 Blades - 18 1/4"				
Fan Clutch	Cad	C7ZB-E	CAOE-A				
Fan to Clutch Bolts			20326-S? Bolt - Hex GR2 5/16-18, 5/8" L, 1/2" AF, 7/8" Thd				
Fan to Clutch Bolt Washer			34806-S? Washer - Spring Lock 5/16", .319/.333 ID, .591" OD, .078" Thk [5/16 REGULAR .32 X .58 X .085 TK]			GB	B-13049 (S2 -25) / B-13050 (S8 - 25)
Clutch to Water Pump Pulley Bolts			20427-S? Bolt - Hex GR2 5/16-24, 1 1/4" L, 1/2" AF, 7/8" Thd				
Fan to Clutch Bolt Washer			34806-S? Washer - Spring Lock 5/16", .319/.333 ID, .591" OD, .078" Thk [5/16 REGULAR .32 X .58 X .085 TK]				
Fan Belt							
Smog System							
Smog Pump	SGB		C8AE-9A486-A	C8AE-9A486-A			
Smog Pump Fan							
Smog Pump Pulley	SGB						
w/ A/C			(# C8OE-9C480-B) P/N C8OZ-9B447-B	(# C9OE-9C480-A) p/n C9OZ-9B447-A			
w/o A/C		(# C6AE-9B447-E) P/N C6AZ-9B447-E	(# C8AE-9C480-A) p/n C8AZ-9B447-B				
Air Bypass Valve	Natural (Aluminum)						
Smog Pump Bracket	SGB						
Smog Pump Bracket Spacer							
Exhaust Air Supply Manifold - RH	FCB						
Exhaust Air Supply Manifold - LH	FCB						
Exhaust Air Supply Manifold Check Valve	FCB		C8AE-9A487-A	C8AE-9A487-A			
Exhaust Air Supply Manifold to Head Fitting	P&O						
Hoses							
Pump to Valve							
Valve to RH							
Valve to LH							
Clamps							
MISC VACUUM							
Distributor Vacuum Control Valve (Tree - 3 port)							
Vacuum Lines							
Front Manifold Fitting (lower) to Air Cleaner Motor	Rubber		Blue Stripe				
Tree (Upper) to Carburetor	Rubber		Yellow Stripe				

Item	Color	'67	'68	'69	Comments	AMK No	
Tree (Middle) to Distributor (Primary Diaphragm - front)	Rubber		Green Stripe				
Tree (Lower) to T	Rubber		Red Stripe				
T to Distributor (Secondary Diaphragm - rear)	Rubber		Red Stripe				
T to Front Manifold Fitting (top)	Rubber		Red Stripe				
Rear Manifold fitting to Smog Bypass Valve	Rubber		Black Stripe				
WINDSHIELD WASHER							
Washer reservoir		Black/white or Black/gold	White Nylon				
Reservoir mounting screws	Cad	n/a - hanger	55981-S2 (3)				
			Hex Washer Head - Type AB #14-14, 1/2" L, 1/2"(.480/.520)OD [1/4-14 X 1/2 3/8 AF .50 OD]			BBL	B-12096 (6)
Washer hose - reservoir to pump	Rubber						
Washer hose - reservoir to pump clip	Black Nylon		376914-S (1 - strap)		Hose to firewall just below reservoir		
			Nylon Loop Strap - Type 1 3 5/32"L x .235" Hole Size x .44" Max Width [.19 W X 3.12 OAL FITS .25 HOLE]				
Washer Hose - pump to nozzles	Rubber						
Washer nozzles							
Nozzle and Tee mounting screws	P&O		373611-S2 (3)		Identical to 55907 - AMK references this number	FG	B-13418 (12) / B-11151 (40)
			Washing Screw Hex Washer Head - Type AB #8-18, 1/2" L, 11/32"(.322/.348)OD [8-18 X 1/2 1/4 AF .34 OD]				
Nozzle hose tee	White Plastic		374320-S (1 -adjustable strap)				
Washer hose - firewall to Tee strap	Black Plastic						