

Item	Color	'67	'68	'69	Comments	AMK No	
GENERAL	Ford Corporate Blue (FCB)	Engine block, heads, intake manifold, thermostat housing, bypass hose and clamps (may be painted or natural), water pump assembly, timing cover and pointer, oil pan, oil dipstick tube, PCV system manifold connections, U-tube and clamps, air cleaner base.					
	Semi-gloss black (SGB)	Fan, fan pulley, crankshaft pulley, alternator bracket and adjustment arm, P/S pulley, A/C brackets			PPG Krylon Duplicolor	Part	Kit(s)
	Natural	Bell housing, accelerator linkage, distributor hold down bracket, exhaust manifolds, accelerator bellcrank			VHT GM Satin Black (spray can)		
	Chrome	Air Cleaner Lid, Radiator Cap, Oil Breather Cap, Oil Dipstick handle, Valve Covers			Eastwood Cast Blast		
ENGINE BAY	SGB	Firewall, inner fenders, shock tower braces, battery tray, radiator support, horns					
	P&O	Hood hinges and springs, hood latch, hood catch, accelerator bellcrank					
Shock Tower Caps		SGB	SGB	Natural			
Spark Plugs		BF-32	BF-32 < 4/68 BF-42 > 4/68	BF-42	Autolite		
Plug wires		Black/orange or Black/black	Black/orange	Black/orange	Autolite - thermactor cars with smog tubes have additional protection on the wires to prevent rubbing/wear		
Valve covers		Chrome - PBF*	Chrome - PBF	Chrome - PBF	Some early '67s are not PBF but are chrome with 3 ribbed top		
AIR CLEANER & PCV							
Base	FCB				Many variations depending on California/49 states, thermactor or not, export or not		
Snorkel	FCB	n/a Dual Screen Unit	(p/n C8OZ-9A626-B) (# C8OF-9A626-A)	(p/n C9OZ-9A626-C) (# C9OF-9D626-C)			
Snorkel Attaching Bolts	FCB	n/a	55359-S Machine Screw - Hex Head SEMS 10-32 X 3/8 5/16 AF 13/32" OD Washer		Machine screw - Hex Washer	FX	B-12484
S-Tube	Varies	n/a	Metal - FCB	C9OZ-9652-A Ribbed Paper/Aluminum - Black 2.02" Dia			
S-Tube Attachment screw	FCB	n/a	55872-S	97262-S			
			Tapping Screw Hex Washer Head - Type AB #8-18 x 1/4"L x 11/32" (.322/.348) OD	Hose Clamp - Tangentail Screw No Slot Band 2 3/16" 2.22" Open ID 2.00 Closed ID .50" W 1.25" Screw Length	' 68 Screw fixes base of snorkel to heat shield ' 69 clamp fixes top of tube to snorkel		
Heat Shield	FCB	n/a					
Air Cleaner Motor/Flapper	Zinc	n/a	C8OZ-9D612-A				
Lid	Chrome	C7ZZ-9602-C 16 3/4" diameter		C7ZZ-9602-C 16 3/4" diameter			
Lid Gasket	Rubber		C8ZZ-9673-A				
Lid Hold Down Nut	Chrome		358871-S 1/4-20 1.25 WIDE		Wing nut	CL	B-12933

Item	Color	'67	'68	'69	Comments	AMK No	
Filter Element	Orange ring/paper						
Valve Cover Oil Breather Cap	Chrome		C8AZ-6766-A	C8AZ-6766-A	67 FoMoCo push-on, 68/69 Autolite twist-on (Motorcraft was used for 68/69 service replacement)		
Valve Cover Oil Breather Cap Fitting	Zinc	C7ZZ-6767-B	C7ZZ-6767-B	C8AZ-6767-B			
Valve Cover Oil Breather Hose	Rubber - Black						
Valve Cover Oil Breather Gasket	Cork						
Valve Cover Oil Breather Grommet	Rubber - Black	C8AZ-6A892-D	C8AZ-6A892-D	C8AZ-6A892-D			
PCV Valve	Zinc	C7OZ-6A666-A	6A666	C7OZ-6A666-A			
PCV Valve Fitting		C7OZ-6A706-A	C7OZ-6A706-A	C7OZ-6A706-A			
PCV U Tube	FCB		C8OZ-6758-B				
PCV to U tube Hose							
PCV Front Manifold Fitting	FCB		C7AZ-9A474-A				
PCV Rear Manifold Fitting	FCB		C8OZ-9A474-A				
PCV Rear Manifold Second Fitting	Brass		C8OZ-9A474-B (AT)				
U-Tube to Rear Manifold Fitting Hose	FCB						
PCV Hose Clamps	FCB	C6AZ-18572-A					
PCV Valve Grommet	Black rubber	C7AZ-6A892-A	C7AZ-6A892-B	C7AZ-6A892-A			
AIR CONDITIONING							
Compressor	SGB or Natural cast aluminum				York and Tecumseh A/C compressors (68 - York may be natural aluminum finish).		
Compressor Bracket	SGB						
Compressor Bracket to Block Mounting Bolts							
Compressor to Bracket Mounting Bolts							
Pulley	SGB						
Belt							
Hot Water Diverter Valve	Zinc Dichromate						
Condenser Coil							
Drier							
Hoses							
Compressor to Condenser							
Compressor to Evaporator							
Condenser to Evaporator							

Item	Color	'67	'68	'69	Comments	AMK No	
ALTERNATOR							
Body	Natural cast aluminum						
Fan	Zinc Dichromate						
Pulley	Zinc Dichromate						
Spacer	S-100	C5AE-10A370-B .45 ID X 1.59 L X 1.0 OD			Pink Anodized Aluminum	KIL	B-10953 (1)
Fan Lock Washer	Zinc Dichromate						
Fan Nut	Zinc Dichromate						
Mounting bracket	SGB						
Mounting Bracket to Block Mounting Bolts							
Adjusting bracket	SGB						
Alternator to Adjuster Bolt							
Adjuster Bracket to Block Mounting Bolts							
Alternator to Bracket Bolts							
Alternator Belt							
BATTERY							
Tray	SGB	C8ZB-10732-A (45 amp)					
Tray Attaching Bolts	P&O	378178-S					
Tray Attaching Nuts (J-Clip)	P&O	378680-S					
Heat Shield	SGB	C8ZB-10A682			390 w/AC only		
Hold Down Bracket	SGB	C5AB-10755					
		Plastic coated steel - Black					
Hold down bolts	P&O	C5AB-10756					
Hold down nuts	P&O	376838-S2					
BRAKES							
Power							
Master Cylinder	SGB						
MC Cap	SGB						
PB Booster	SGB						
Brake lines	Natural						
Booster Vacuum Line (steel connects to fitting at rear manifold tap for PCV U tube connection)	Natural						
Booster Vacuum Hose	Rubber						
Booster Mounting nuts							
Distribution block	Natural brass						
Proportioning valve	Natural brass						
Manual							
Master Cylinder	SGB						
MC Cap	SGB						
Brake lines	Natural						
MC Mounting nuts	Natural						
Distribution block	Natural brass						

Item	Color	'67	'68	'69	Comments	AMK No
CARBURETOR		Holley 4bbl 600cfm, vacuum secondaries (Model 4150)	Holley 4bbl 600cfm, vacuum secondaries (Model 4150)	Autolite 4300-A 4bbl	Datestamp generally accepted to be 2-3 months prior to build date	
Part Number		C7OF-A C7OF-B C7OF-C C70F-D	C8OF-C (M) C8OF-D (AT)			
List						
Metering blocks (f/r)						
Spacer		C6AZ-9A589-B	C8AZ-9A589-G	C9ZZ-9A589-A		
		0.28" thick Bakelite, with small vacuum hose nipple on rear	0.28" thick Bakelite, has tab marked "FRONT"	15/16" thick aluminum, with 5/8" heater nipples & 5/8" PCV hose nipple on rear		
Body						
Fuel Bypass	Zinc/Brass					
Mounting Studs	Natural				With C6 transmission includes: 1ea. - 5/16"-18-24 x 2 1/4" hollow stud (382768-S8), 3ea. - 5/16"-18-	
Mounting Nuts	Cad	351069-S8	351069-S8	351069-S8		
Return Spring	Painted		C8ZZ-9737-A	C9ZZ-9737-A / C9ZZ-9737-F	69 springs before / after 4-9-69	
		Black	Green	Blue-green / Yellow		
Return spring bracket	Natural	C7OZ-9741-B	C7OZ-9741-B	n/a		
Throttle Cable Bracket	SGB	n/a	n/a	C9ZZ-9741-C		
Gasket - spacer to manifold						
Gasket - Spacer to carb						
Gasket Carb to Air Cleaner						
Throttle Linkage Rod	Natural	C7ZZ-9A702-B	C8ZZ-9A702-B	n/a		
Throttle Rod to Bellcrank Bushing	Nylon	7A440	7A440			
Throttle Rod to Bellcrank Grommet	Rubber	379009-S	379009-S			
Throttle rod to carb clip	Natural					
Choke Air Tubes and Associated Items						
Choke Air Tube	Steel					
Fresh Air Tube	Steel					
Air Tube S-clip	Spring Steel					
Choke Stove Hot Air Mesh	n/a				Sintered steel mesh	
DISTRIBUTOR						
Distributor	Natural	C70F-12127-H	C8OF-12127-D		C8OF-D used on 68 428's as well	
Vacuum Advance Unit	Natural					
Distributor Cap	Black Autolite					
Hold down clamp	Natural		FEU-12270-A			
Hold down bolt	Zinc		358805-S8		w/washer	
Coil	Autolite yellow top ceramic					
Coil Mtg Bracket	Natural/SGB/P&O					
Coil Mtg Bracket Bolt	P&O		378604-S2		w/washer	

Item	Color	'67	'68	'69	Comments	AMK No	
Coil Mtg Bracket clamp screw/nut	Cad						
ENGINE							
Block	FCB						
Heads	FCB		C8AE-H				
Valve Covers	Chrome						
Valve Cover Bolts			371065-S?				
Valve Cover Gasket					Silver upper side w/staples to hold to covers		
Water Pump	FCB		C8AE-A	C9AE-A			
Timing Cover	FCB	C3AE-6059-A					
Timing Pointer	FCB						
Oil Pan	FCB				5qt		
Oil Pan Gasket	Cork				2 piece gasket + 2 rubber seals		
Oil Pan Bolts	FCB						
Oil Dipstick Tube	FCB		C7OZ-6754-A				
Oil Dipstick	Chrome		C7OZ-6750-A				
Oil Filter Adapter	Natural	C3AZ-6881-A	C8AE-6881-A				
Oil Pressure Switch	Zinc						
Oil filter	White or Blue						
Oil Drain Plug	FCB						
Intake Manifold	FCB	C6AE-C, C7AE-E / C6AZ-9424-N C7 is Aluminum PI Intake	C8AE-A /C8AZ-9424-C	C9ZE-A, C9ZE-B / C9ZZ-9424-A	Square bore		
Exhaust Manifolds							
Thermostat Housing	FCB	C5AE-8592-A C7AE-8952-A (PI)	C8AE-8952-A	C8AE-8952-A			
Fan Pulley	SGB						
Crankshaft Pulley	Natural						
Harmonic Balancer	SGB/Rubber	C4AE-6316-A	C8AE-6316-A	C8AE-6316-A			
Temperature sending unit	Brass						
Transmission Vacuum Tube at Carb Stud		n/a	7B086 (?)	n/a			
Transmission Vacuum Tube at Carb Stud Clamp		n/a	376959-S	n/a			
Transmission Vacuum Tube to Modulator	Natural		7B095 (?)				
Transmission Vacuum Tube to Trans Case Clip	Natural		7C072 (?)				
Transmission Filler Tube							
Transmission Dip Stick			SGB				

Item	Color	'67	'68	'69	Comments	AMK No	
Transmission Tube to Head Mounting Bolt	P&O		Natural 42772-S2				
			Machine Screw - Hex Head Sems External Sems - Grade 2 3/8-16, 5/8" L, 9/16" AF				
ENGINE BAY MISC FASTENERS							
Fenders and Aprons							
Fender bolts			Cad 378178-S39 (12)				
		P&O	Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]				
Fender Bolt J-Nuts			P&O 379831-S2				
			Nut - J Nut & Retainer Assy Special - Design 2 5/16-18, 1.02" L, .67" W		Design 2 has long formed thread shank, no captive nut, and lower flange of U bolt is rounded, not square end		
Inner Fender bolts		P&O	Cad		May mount in either direction, all must be consistent		
			378178-S39 (12) Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]			KHE	B-11643 (12) / B-11644 (50)
Inner Fender Bolt - Nut			Cad 55736-S2				
Splash Shiled Upper Screw			P&O 55914-S2				
Valve Cover Bolts	Cad Plated						
Valve Cover Wire Hold-down J-Clip	Steel/rubber dipped tip		353547-S8		Zinc w/rubber coating at tip	FG	B-13123 (2)
			5/16 OPENING .53 W X 1.38 L X .41 HOLE				
Exhaust manifold bolts	P&O		Ramp-loc				
Export Brace to Firewall Bolts	Zinc Dichromate		380999-S100		W/washer	NU	B-11967 (2) / B-11556 (4)
	P&O		7/16-14 X 1 1/4 5/8 AF 1.12 CONICAL				
Export Brace to Firewall Nuts	Zinc Dichromate		55740-S2			ZI	B-12906 (4)
			7/16-14 11/16 AF .93 OD .38 TK				
Export Brace to Shock Tower Bolt	P&O		378535-S2		Carriage bolt	KW	B-12743 (6)
			3/8-16 X 7/8 .80 OD				
Export Brace to Shock Tower Nut	Cad Plated		377706-S7			HN	B-12901 (6) / B-10474 (20)
			3/8-16 GR-5 9/16 AF .75 OD .39 TK				
Shock Absorber to Tower	Cad Plated		42760-S8		w/external tooth washer	NT	B-12319 (4)
			5/16-18 X 7/8 1/2 AF .58 EXTERNAL				
Hood Hinges							
Hood Hinges to Apron Bolt	Cad Plated		378178-S39 (2)		w/external tooth washer	KHE	B-11643 (12) / B-11644 (50)

Item	Color	'67	'68	'69	Comments	AMK No	
			Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]				
Hood Hinges to Apron Nut					Captive nut in apron		
Hood Hinges to Hood Bolt	Cad Plated		378178-S39 (4) Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]		w/external tooth washer	KHE	B-11643 (12) / B-11644 (50)
Hood Hinges to Hood U-nut	P&O		378681-S2 (4) 5/16-18, 1.31"L, .67"W				
Hood Latch							
Hood Latch Assy	P&O		C8ZB-16700				
Hood catch	P&O		C7ZB-16929				
Latch to hood bolts	Cad Plated		378178-S39 (2) Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]			KHE	B-11643 (12) / B-11644 (50)
Catch to support bolts	Cad Plated		378178-S39 (2) Machine Screw - Hex Washer External Sems w/Leadpoint 5/16-18, 1.00" L, 7/8" OD [5/16-18 X 1 1/16 1/2 AF .88 EXTERNAL]			KHE	B-11643 (12) / B-11644 (50)
Fender to Apron Bolts							
Hood Lip							
Hood Lip Molding to Hood Screws			379560-S101 Truss head Tapping Screw 18, 3/8"L, 3/8"(.364-.384")OD	#8-			
FUEL SUPPLY							
Fuel pump	Natural/Zinc		C6AZ-9350-B Carter - Single Diaphragm 4194-S	C7SZ-9350-A Carter - Single Diaphragm 4385			
Fuel lines	3/8" (5/16" on SBF)		Natural (steel/rubber)				
Line grommet at apron	Rubber		C7ZZ-9288-A/C				
Fuel line clamps			Spring Style				
Fuel Filter	Natural		C7OZ-9155-A		No in line filter from factory		
HEATER AND RELATED COMPONENTS							
Blower Motor	SGB						
Blower Motor Wires	Brown/yellow						
Blower Motor Feed Harness (14401)							
Feed harness (14401) to firewall clip	Black Nylon		374320-S (1) Nylon Loop Strap Type 3 4 1/16"L x .12x.38" Hole Size x .45" W [.44 W X 4.0 OAL]		1 slot for mounting, 3 adjusting slots	AP	B-13209 (2)
Heater hoses	Rubber		Black ribbed w/yellow or orange stripe w/Autoilite logo		Hoses run under spark plug wires and emissions tubes		
Inlet			C7AA-18472-AG (29.00" - 29.50")				
Outlet			C7AA-18472-F (34.75" - 35.25")				

Item	Color	'67	'68	'69	Comments	AMK No	
Heater Hose Clamps	Zinc		Wittek - tower		Late model 68's used stapled clamps provided with the hoses		
			97356-S8 - 1 1/16"				
Heater mounting nuts	Zinc Dichromate		370546-S100 (4)		W/sealer		
			1/4-20 7/16 AF .69 OD				
Heater hose to water jacket fitting	FCB		C8AZ-18599-A				
Heater Motor Heat Shield	SGB		C7ZA-19C842-A				
Heat Shield Mounting Screw	P&O		42127-S2 (1)			PP	B-12079 (10)
			Tapping Screw/Hex Washer 10-12 X 1/2 5/16 AF .40 OD				
Heat Shield Mounting Nut	Zinc		33920-S8 (1)			WG	B-12775 (10)
			Hex Nut 1/4-20 7/16 AF .16 TK				
HOSES, BELTS AND SEALS							
HOSES							
Heater hoses	Rubber	FoMoCo Black ribbed w/yellow or Autolite w/orange stripe & Autolite logo			Hoses run under spark plug wires and emissions tubes		
Inlet			C7AA-18472-AG (29.00" - 29.50")				
Outlet			C7AA-18472-F (34.75" - 35.25")				
Heater Hose Clamps	Zinc		Wittek - tower		Late model 68's used stapled clamps provided with the hoses		
			97356-S8 - 1 1/16"				
Radiator Hoses				FoMoCo/Autolite			
Upper - Rad to Tstat		C5AZ-8260-G	C8ZE-8260-C				
Lower Rad to WP							
Radiator Hose Clamps	Zinc		Wittek - tower	Wire style w/staples	Wittek date coded for 67/68		
Upper to Radiator			97630-S8 - 1 15/16"				
Upper to Thermostat			97374-S8 - 2 3/16"				
Lower to Radiator			97374-S8 - 2 3/16"				
Lower to Water Pump			97379-S8 - 2 1/2"				
Water Pump Bypass Hose	Rubber	FoMoCo Black ribbed w/yellow or Autolite w/orange stripe & Autolite logo					
Hose							
Clamps			Wittek - tower				
			97356-S8 - 1 1/16"				
SEALS							
Cowl to Hood Seal	Black Rubber		C7ZB-16A942				
Cowl to Hood Seal Fasteners	White Nylon						
Radiator Support to Hood Seal	Black Rubber		C4DB-16A238				
Radiator Support to Hood Seal Staples			370168 / ESB-M1A111-A / ESB-M1A112-A (9)				
BUMPERS							
Hood to Fender - Rear	Black Rubber		C7WB-16578 (2)				
Hood to Fender - Front	Black Rubber		C4DB-16578 (2)				
Hood to Grille	Black Rubber/Natural		C4ZB-16763 (2)				
Hood to Grille - Adjusting Nut	Cad		33922-S2 (2)				

Item	Color	'67	'68	'69	Comments	AMK No	
13A357 Assembly (Hood Mounted Turn Signals)			C8ZB-13A357-A				
Ground to firewall			Black				
Ground to hood			Black				
RH signal			White/blue stripe				
LH Signal			Green/white stripe				
14401 Assembly (Trans)							
14401 Assy to Firewall clip			382175-S (?)		Part per FAM no record in Ford Fastener Guide		
14289 Assembly (Oil/Temp)							
Temp sending wire			Red/white stripe		90 degree press on connector		
Oil Pressure Sending wire							
			White/red stripe		90 degree press on connector		
Coil			Red/green strip		90 degree press on connector		
14289 Assy to firewall clip	Black Nylon		374320-S (1)		1 slot for mounting, 3 adjusting slots	AP	B-13209 (2)
			.44 W X 4.0 OAL				
14289 Assy to Valve Cover clip	Steel/rubber		356640-S100 (3)		LH Valve Cover - inboard side		
			5/16 OPENING .53 W X 1.38 L X .33 HOLE				
14290 Starter Relay (Main Engine Harness)							
Starter Relay +			Red, red, yellow+black		Starter positive + 2 smaller connectors (others apply depending on options)		
Starter Relay -	Black	Black	Black	Black	Starter feed wire		
Starter Relay + (pin)			Red/blue		90 degree press on connector		
Starter Relay - (pin)			Brown		90 degree press on connector		
Starter Relay Mounting Screws	Zinc		31497-S8 Tapping Screw			Q	B-12094 (8) / B-10818 (25)
			Hex Washer Head - Type AB #14-14 x 1/2"L x 1/2"(.480/.520)OD [1/4-14 X 1/2 3/8 AF .50 OD]				
Starter Relay connection nuts	Zinc Dichromate		381561-S36			BF	B-12836 (3)
			Nut - Nut and Washer Assembly Hex Nut & Conical Washer - Special 5/16-18 9/16 AF .56 OD [.27 OAH]		w/integral washer		
Starter Relay Harness (14290) to Apron clips	Black Nylon		382184-S (2)		RH Side below relay		
			.88 Capacity For 0.25 Hole			KRA	B-13118 (2)
Starter Relay Harness (14290) to Lower Radiator Support clips	Black Nylon						
Starter Relay Harness (14290) to LH Apron clips	Black Nylon				LH Side along apron and shock tower		
			376756-S (6) Nylon Loop Strap Type 2 3 29/32"L x .235" Hole Size x .44" Max Width [.38 W X 3.92 OAL FITS .25 HOLE]		Plug fits to mounting surface, 2 circle clips to mount back to plug		

Item	Color	'67	'68	'69	Comments	AMK No	
Horn Feed to Radiator Support Strap	Black Nylon		376914-S (4 - strap) Nylon Loop Strap Type 1		Rah and LH Radiator apron 2 per inner side	LI	B-13198 (6)
			3 5/32"L x .235" Hole Size x .44" Max Width [.19 W X 3.12 OAL FITS .25 HOLE]		Plug fits to mounting surface, 2 circle clips to mount back to plug		
15702 Assembly (Optional Engine Bay Lamp)							
Lamp Harness (15702) to Shock Tower clip	Black Nylon		C7ZB-15702-A		Fixture mounts between hood louvers		
			380753-S (1) ?				
Lamp Harness (15702) to Shock Tower Brace Clips	Black Nylon		379061-S (3)			LFR	B-10974 (4)
			.25 Opening x .37 W x 1.06 L .03 - .12 P				
Lamp Harness (15702) to Hood Clip	Black Nylon		372303-S (1)				
			.14 OPENING X .44 W X .85 H .02 - .05 P			LFM	B-10723 (2)
Lamp Harness (15702) to Hood Clip at Fixture	Black Nylon		382963-S (1) ?				
Lamp fixture to Hood Screw	Zinc Dichromate		55907-S36 (1) Tapping Screw			FG	B-13418 (12) / B-11151 (40)
			Hex Washer Head - Drill End #8- 18 x 5/8" L, 11/32" (.322/348")OD 5/16 AF .40 OD]				
Lamp Fixture to Hood Washer	Zinc Dichromate		34938-S36 (1) Lock Washer External Tooth				
			#8, .168/.176 ID, .365/.381" OD, .018/.023" Thk [#8 SIZE .17 X .37 O]			KWA	B-13034 (12)
Lamp Fixture Bulb			C3VB-13730-A				
Brake pressure switch							
Alternator							
Field							
Voltage regulator							
VR connector	Multiple wires						
VR condenser							
HOOD MOUNTED TURN SIGNALS							
Harness (13A357) Clip/Ground to Firewall	P&O		380923-S2 (1) Tapping Screw				
			Hex Washer Head - Drill End #8- 18 x 5/8" L, 11/32" (.322/348")OD 5/16 AF .40 OD]		AMK 55907-S2 close #8-18 thread, 1/2" L, same OD	FG	B-13418 (12)
Harness (13A357) to Hood near firewall (ground)	Zinc Dichromate		42120-S36 (2) Tapping Screw				
			Hex Washer Head Type AB #10- 16 x 3/8L, 15/64" (.225/243")OD 5/16 AF .40 OD]				

Item	Color	'67	'68	'69	Comments	AMK No	
Harness (13A357) to Hood at Front Clip	Black Nylon		379485-S (1) (?)		Attach to hood near front hole where harness comes out of hood near front/louvers. Part per FAM no record in Ford Fastener Guide		
Harness (13A357) to Hood - Clips at Indicators	Black Nylon		377774-S (4) (?)		Attach to existing louver insert studs. Part per FAM no record in Ford Fastener Guide		
Signal Insert Mounting Nuts	Zinc Dichromate		353911-S100	n/a	w/sealer (red)	AM	B-12955 (4) / B-11418 (12)
			Stamped Nut - Multi-Thread Machine Hex Flange - Uncapped w/Sealer 10-24 x.625" OD x 11/32 Hex, .270" Thk [3/8 AF .62 OD]				
Signal Insert Mounting Studs	Natural					ZK	ZK : B-12600
			10-24 x 1.0"				
POWER STEERING							
PS Pump	SGB/Teal						
PS Pump Mounting Bracket	Natural		3A732				
PS Pump Adjusting Bracket	SGB		3C511				
PS Bracket to Block Spacer	O&P		C7SZ-3D600-A		Only used w/o A/C	BGY	B-13193 (1)
			.40 ID X .50 TK X 1.25 OD				
PS Pump to Bracket Mounting Bolts			378338-S8				
PS Pump to Bracket Mounting Stud	O&P		377060-S2				
PS Pump to Bracket Mounting Stud Nut	Cad Plated		55713-S7				
PS Pump Dipstick	Natural						
PS Belt							
PS Pump Upper Hose Bracket	O&P		3E602				
PS Pump Upper Hose Bracket Nut	O&P		378720-S2				
			Nut - Hex Special 5/8-18, .188 Thk, 15/16" Hex - Gr2				
<i>PS Hoses</i>							
PS Pump to CV - Upper (Supply - HP)							
PS Pump to CV - Lower (Supply - HP)							
CV to Pump - (Return - LP)							
Return to Pump Clamp			97201-S8		Alternate 97237 per FAM	HIK	B-13089 (1)
			Misc Clamp - Hose Clamp Tangential Screw - Slotted Band 5/8", Open ID .70", Closed ID .55-.50" W, 1.00" Screw length ["5/8 SIZE .70 MAX ID OPEN]		Misc Clamp - Hose Clamp Tangential Screw - No Slot Band 5/8", Open ID .72", Closed ID .53-.38" W, 1.12" Screw length		

Item	Color	'67	'68	'69	Comments	AMK No	
Return to Hose Nipple Clamp			97201-S8		Alternate 97237 per FAM	HIK	B-13089 (1)
			Misc Clamp - Hose Clamp Tangential Screw - Slotted Band 5/8" Open ID .70", Closed ID .55 .50" W, 1.00" Screw length [5/8 SIZE .70 MAX ID OPEN]		Misc Clamp - Hose Clamp Tangential Screw - No Slot Band 5/8", Open ID .72", Closed ID .53 .38" W, 1.12" Screw length		
CV to Ram - Supply							
CV to Ram - Return							
PS Hose Insulator Bracket	SGB						
PS Hose Insulator Grommet	Rubber						
PS Hose Insulator Bolt to Block							
PS Hose Insulator Clamp Bolt							
PS Hoses to Control Valve Clamp	Zinc		351819-S8		Worm screw clamp (Hose clamp - Hex/slot head)	HIK	B-13089 (1)
			Hose Clamp - Type 2 5/16" Dia, 1/2" W, 1/32" Thk] 1				
RADIATOR							
Radiator	SGB	C7ZZ-8005-C	C8ZZ-8005-C				
		23 1/4"X16"X2"	24 3/16"X16"X2 1/4"				
Radiator Cap	Autolite		Zinc/Chrome				
Fan shroud	Natural black	C7ZZ-8146-A	C8ZZ-8146-A				
		Marked C7ZE-A	No markings				
Shroud to Radiator Screws			31498-S2 Tapping Screw			P	B-12097 (S2 - 8) / B-10816 (S2 - 20)
			Hex Washer Head - Type A #14- 10, 5/8" L, 1/2"(.480/.520)OD [1/4- 10 X 5/8 3/8 AF .50 OD]				
Shroud to Radiator Screw J-Nuts			380250-S2		Identical to 383375 - AMK references this number	EK	B-12258 (4)
			Nut - Spring U Spring Nut Special - Type 2 Tapping Thread 12-11, .62" L, .62" W				
Fan	SGB	C60E-F	C80F-B				
			7 Blades - 18 1/4"				
Fan Clutch	Cad	C7ZB-E	CAOE-A				
Fan to Clutch Bolts			20326-S? Bolt - Hex GR2 5/16-18, 5/8" L, 1/2" AF, 7/8"Thd				
Fan to Clutch Bolt Washer			34806-S? Washer - Spring Lock 5/16", .319/.333 ID, .591" OD, .078" Thk [5/16 REGULAR .32 X .58 X .085 TK]			GB	B-13049 (S2 -25) / B-13050 (S8 - 25)
Clutch to Water Pump Pulley Bolts			20427-S? Bolt - Hex GR2 5/16-24, 1 1/4" L, 1/2" AF, 7/8"Thd				
Fan to Clutch Bolt Washer			34806-S? Washer - Spring Lock 5/16", .319/.333 ID, .591" OD, .078" Thk [5/16 REGULAR .32 X .58 X .085 TK]				
Fan Belt							
Smog System							
Smog Pump	SGB		C8AE-9A486-A	C8AE-9A486-A			

Item	Color	'67	'68	'69	Comments	AMK No	
Smog Pump Fan							
Smog Pump Pulley	SGB						
w/ A/C			(# C8OE-9C480-B) P/N C8OZ-9B447-B	(# C9OE-9C480-A) p/n C9OZ-9B447-A			
w/o A/C		(# C6AE-9B447-E) P/N	(# C8AE-9C480-A) p/n C8AZ-9B447-B				
Air Bypass Valve	Natural (Aluminum)						
Smog Pump Bracket	SGB						
Smog Pump Bracket Spacer							
Exhaust Air Supply Manifold - RH	FCB						
Exhaust Air Supply Manifold - LH	FCB						
Exhaust Air Supply Manifold Check Valve	FCB		C8AE-9A487-A	C8AE-9A487-A			
Exhaust Air Supply Manifold to Head Fitting	P&O						
Hoses							
Pump to Valve							
Valve to RH							
Valve to LH							
Clamps							
MISC VACUUM							
Distributor Vacuum Control Valve (Tree - 3 port)							
Vacuum Lines							
Front Manifold Fitting (lower) to Air Cleaner Motor	Rubber		Blue Stripe				
Tree (Upper) to Carburetor	Rubber		Yellow Stripe				
Tree (Middle) to Distributor (Primary Diaphragm - front)	Rubber		Green Stripe				
Tree (Lower) to T	Rubber		Red Stripe				
T to Distributor (Secondary Diaphragm - rear)	Rubber		Red Stripe				
T to Front Manifold Fitting (top)	Rubber		Red Stripe				
Rear Manifold fitting to Smog Bypass Valve	Rubber		Black Stripe				
WINDSHIELD WASHER							
Washer reservoir		Black/white or Black/gold	White Nylon				
Reservoir mounting screws	Cad	n/a - hanger	55981-S2 (3) Tapping Screw				
			Hex Washer Head - Type AB #14- 14, 1/2" L, 1/2"(480/.520)OD [1/4-14 X 1/2 3/8 AF .50 OD]			BBL	B-12096 (6)
Washer hose - reservoir to pump	Rubber						
Washer hose - reservoir to pump clip	Black Nylon		376914-S (1 - strap)		Hose to firewall just below reservoir		

Item	Color	'67	'68	'69	Comments	AMK No	
			Nylon Loop Strap Type 1 3 5/32"L x .235" Hole Size x .44" Max Width [3 .19 W X 3.12 OAL FITS .25 HOLE]				
Washer Hose - pump to nozzles	Rubber						
Washer nozzles							
Nozzle and Tee mounting screws	P&O		373611-S2 (3)		Identical to 55907 - AMK references this number	FG	B-13418 (12) / B-11151 (40)
			Tapping Screw Hex Washer Head - Type AB #8- 18, 1 1/2" L, 11/32"(.322/.348)OD [8- 18 X 1/2 1/4 AF .34 OD]				
Nozzle hose tee	White Plastic		374320-S (1 -adjustable strap)				
Washer hose - firewall to Tee strap	Black Plastic						